

New Jersey Division of HIV/AIDS Services  
Persons Living with HIV/AIDS as of June 30, 2004  
Passaic City Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	84	23	0	0	84	23
AIDS-CD4 Only	121	33	0	0	121	33
HIV Only	160	44	7	100	167	45
-----	-----	---	-----	---	-----	---
Total	365	100	7	100	372	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	39	11	0	0	39	10
5-12	7	2	Black, Not Hispanic	152	42	5	71	157	42
13-19	#	#	Hispanic	#	#	#	#	174	47
20-29	#	#	Other/Unknown	#	#	#	#	#	#
30-39	85	23	-----	-----	---	-----	---	-----	---
40-49	158	42	Total	365	100	7	100	372	100
50+	95	26							
Unk.	0	0							
-----	-----	---							
Total	372	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	60	28	0	0	60	17
Injection drug user (IDU)	81	38	46	31	127	35
MSM/IDU	8	4	0	0	8	2
Heterosexual contact	23	11	67	45	90	25
Risk not reported/other***	43	20	35	24	78	21
-----	-----	---	-----	---	-----	---
Total	215	100	148	100	363	100

  

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	9	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	9	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of June 2004.

\*\* # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Passaic City Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	( #)	#	( #)	#	( #)	179	( 32)
Other OI w/o PCP	#	( #)	#	( #)	#	( #)	181	( 33)
KS Alone	9	( 2)	7	( 78)	0	( .)	9	( 2)
No Disease Listed	184	( 33)	63	( 35)	0	( .)	184	( 33)
Total	550	(100)	345	( 63)	#	( #)	553	(100)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*	Pediatric*	Total
				Cases	%	Cases
Under 5	#	#	White, Not Hispanic	78	14	78
5-12	#	#	Black, Not Hispanic	#	#	273
13-19	6	1	Hispanic	#	#	201
20-29	69	12	Other/Unknown	#	0	#
30-39	242	44				
40-49	158	29	Total	550	100	553
Over 49	75	14			#	100
Unknown	0	0				
Total	553	100				

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
Men sex with men (MSM)	96	26	0	0	96	17
Injection drug user (IDU)	184	49	70	40	254	46
MSM/IDU	18	5	0	0	18	3
Heterosexual contact	27	7	65	37	92	17
Risk not reported/other***	49	13	41	23	90	16
Total	374	100	176	100	550	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	#	#

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Passaic City Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	7	7	100%
1985	5	5	100%
1986	7	5	71%
1987	28	28	100%
1988	34	33	97%
1989	27	26	96%
1990	42	40	95%
1991	35	33	94%
1992	36	28	78%
1993	40	33	83%
1994	32	22	69%
1995	51	29	57%
1996	49	18	37%
1997	31	16	52%
1998	20	#	#
1999	21	6	29%
2000	20	5	25%
2001	25	#	#
2002	22	5	23%
2003	15	#	#
2004	6	0	0%
-----	-----	-----	-----
Total	553	348	63%

New Jersey Division of HIV/AIDS Services  
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004  
Passaic City Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	16	9	0	0	16	8
5-12	#	#	Black, Not Hispanic	83	45	8	80	91	47
13-19	6	3	Hispanic	#	#	#	#	#	#
20-29	49	25	Other/Unknown	#	#	#	#	#	#
30-39	68	35	-----	-----	---	-----	---	-----	---
40-49	43	22	Total	183	100	10	100	193	100
Over 49	17	9							
Unknown	0	0							
-----	-----	---							
Total	193	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	25	24	0	0	25	14
Injection drug user (IDU)	37	36	32	40	69	38
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	29	28	15	19	44	24
-----	-----	---	-----	---	-----	---
Total	103	100	80	100	183	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	10	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	10	100

\* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

# indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of June 30, 2004  
Passaic City Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
AIDS-Any OI	#	#	#	#	369	49
AIDS-CD4 Only	#	#	#	#	184	25
HIV Only	183	25	10	77	193	26
Total	733	100	13	100	746	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
				Cases	%	Cases	%	Cases	%
Under 5	11	1	White, Not Hispanic	94	13	0	0	94	13
5-12	#	#	Black, Not Hispanic	354	48	10	77	364	49
13-19	16	2	Hispanic	#	#	#	#	285	38
20-29	139	19	Other/Unknown	#	#	#	#	#	#
30-39	311	42							
40-49	182	24	Total	733	100	13	100	746	100
Over 49	85	11							
Unknown	#	#							
Total	746	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	121	25	0	0	121	17
Injection drug user (IDU)	221	46	102	40	323	44
MSM/IDU	20	4	0	0	20	3
Heterosexual contact	37	8	98	38	135	18
Risk not reported/other***	78	16	56	22	134	18
Total	477	100	256	100	733	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	5	100	8	100	13	100
Risk not reported/other***	0	0	0	0	0	0
Total	5	100	8	100	13	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+/AIDS diagnosis.

\*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of June 30, 2004  
Passaic City Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	7	7	100%
1985	6	6	100%
1986	8	6	75%
1987	31	28	90%
1988	49	43	88%
1989	41	35	85%
1990	53	48	91%
1991	49	42	86%
1992	72	36	50%
1993	55	23	42%
1994	56	21	38%
1995	55	23	42%
1996	49	15	31%
1997	37	12	32%
1998	29	#	#
1999	29	6	21%
2000	26	#	#
2001	32	5	16%
2002	33	6	18%
2003	25	5	20%
2004	#	#	#
-----	-----	-----	-----
Total	746	374	50%